

Figure 1

RSW9-2000-0103-US1
Sheet 1 of 9




FIG. 2 is a block diagram of a system architecture. The system includes a processor 202 and a processor 204 connected to a system bus 206. The system bus 206 is connected to a memory controller/cache 208 and an I/O bridge 210. The memory controller/cache 208 is connected to local memory 209. The I/O bridge 210 is connected to a PCI bus bridge 214, a PCI bus bridge 222, and a PCI bus bridge 224. The PCI bus bridge 214 is connected to a PCI bus 216, which is connected to a modem 218 and a network adapter 220. The PCI bus bridge 222 is connected to a PCI bus 226. The PCI bus bridge 224 is connected to a PCI bus 228. The I/O bridge 210 is also connected to a graphics adapter 230 and a hard disk 232.




Figure 2




Figure 3

RSW9-2000-0103-US1

Sheet 3 of 9




Figure 4

RSW9-2000-0103-US1
Sheet 4 of 9

```

<?xml version="1.0"?>
<definitions name="StockQuoteServiceCSD"
  targetNamespace="http://www.financialWebServiceStandards.org/StockQuoteService"
  xmlns:xsd="http://www.w3.org/1999/XMLSchema/"
  xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
  xmlns:csd="http://schemas.xmlsoap.org/wsdl/extensions/csd"
  xmlns:uddi="http://www.uddi.org/schemas/wsdl/extensions"
  xmlns="http://schemas.xmlsoap.org/wsdl/">

  <message name="SymbolRequest">
    <part name="symbol" type="xsd:string"/>
  </message>

  <message name="QuoteResponse">
    <part name="quote" type="xsd:string"/>
  </message>

  <portType name="StockQuoteServicePortType">
    <operation name="getQuote">
      <input message="SymbolRequest"/>
      <output message="QuoteResponse"/>
    </operation>
  </portType>

  <binding name="StockQuoteServiceBinding"
    type="StockQuoteServiceType">
    <soap:binding style="rpc" transport="http://schemas.xmlsoap.org/soap/http"/>
    <operation name="getQuote">
      <soap:operation soapAction="http://www.getquote.com/GetQuote"/>
      <input>
        <soap:body use="literal"
          namespace="urn:live-stock-quotes"
          encoding="http://schemas.xmlsoap.org/soap/encoding"/>
      </input>
      <output>
        <soap:body use="literal"
          namespace="urn:live-stock-quotes"
          encoding="http://schemas.xmlsoap.org/soap/encoding"/>
      </output>
    </operation>
    <csd:testService>
      <service name="StockQuoteTestService">
        <documentation>Stock Quote Binding Canonical Service Definition test
service</documentation>
        <port name="CSD Test" binding="StockQuoteServiceBinding">
          <soap:address location="
www.financialWebServiceStandards.org/soap/servlet/rpcrouter"/>
        </port>
      </service>
    </csd:testService>
    <csd:categorization>
      <uddi:categoryBag>
        <keyedReference
          tModelKey="urn:
www.financialWebServiceStandards.org/taxonomies/equityInstruments"
          keyName="equityInstruments>equities>quotes>nonRealTimeQuotes"
          keyValue="" />
      </uddi:categoryBag>
    </csd:categorization>
  </binding>

</definitions>

```

Figure 5

RSW9-2000-0103-US1
Sheet 5 of 9




Figure 6

RSW9-2000-0103-US1
Sheet 6 of 9




Figure 7

RSW9-2000-0103-US1
Sheet 7 of 9

Figure 8

RSW9-2000-0103-US1
Sheet 8 of 9




Figure 9

RSW9-2000-0103-US1
Sheet 9 of 9

